




1" = 20'



SITE MAP  
N.T.S.



VICINITY MAP  
N.T.S.



AVERAGE RATE HOLES 1 - 8 WAS 29 MPI.  
 1.2 GAL/50 FT. x 2.50 FT./L.F. = 62.5 L.F./BDRM  
 150 GAL/BEDROOM  
 312.5 L.F. REQUIRED FOR A 5 BEDROOM HOUSE.  
 313 L.F. PRIMARY LEACH LINE SHOWN. 873 L.F.  
 EXPANSION LINE SHOWN CAN SUPPORT 200%  
 EXPANSION.

- LEGEND**
- FOUND 1/2" IRON PIPE TAGGED LS 4793
  - PROPERTY LINE
  - - - SETBACK LINE
  - FENCE
  - - - EDGE OF ROAD
  - - - FLOWLINE / DITCH
  - CONTOURS
  - ⊙ TREES
  - ⊙ ROCK OUTCROPPING
  - ⊙ WELL
  - ⊙ PROFILE HOLE
  - ⊙ PERCOLATION TEST HOLE
  - PRIMARY LEACH LINE
  - - - EXPANSION LINE
  - DISTRIBUTION BOX
  - △ MONITORING WELL

SEE SHEET 2 FOR  
PROPERTY BOUNDARIES

1700 here  
 1500 des  
 500 per review (CO)  
 480 plan " (CO)  
 900  
 \$4500  
 BACHESE

REVISIONS	BY
CHANGED 50' TO 53'	CRH
REMOVED 13' LINE	CRH
CHANGED LOCATION OF TANKS	CRH

**MOSIER & ASSOCIATES**  
 ROB HUFFMAN, R.C.E. 42293  
 876 GRAVENSTEIN HWY. SO. SEBASTOPOL, CA (707) 823-2190

**SEPTIC SYSTEM DESIGN**  
 for CAROLYN BALFOUR  
 1525 FELTA ROAD  
 HEALDSBURG, CALIFORNIA

DRAWN	RBT
CHECKED	CRH
DATE	JULY 1990
SCALE	1" = 20'
JOB NO.	90-31
SHEET	3